

## SAFETY DATA SHEET

Version 5.1  
Revision Date 02/26/2014  
Print Date 03/20/2014

---

**1. PRODUCT AND COMPANY IDENTIFICATION****1.1 Product identifiers**

Product name : *tert*-Butanol

Product Number : 471712  
Brand : Sigma-Aldrich  
Index-No. : 603-005-00-1  
REACH No. : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 75-65-0

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Manufacture of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich  
3050 Spruce Street  
SAINT LOUIS MO 63103  
USA

Telephone : +1 800-325-5832  
Fax : +1 800-325-5052

**1.4 Emergency telephone number**

Emergency Phone # : (314) 776-6555

---

**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable liquids (Category 2), H225  
Eye irritation (Category 2A), H319  
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal word

Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

|                    |  |
|--------------------|--|
| P242               | Use only non-sparking tools.   |
| P243               | Take precautionary measures against static discharge.  |
| P261               | Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.   |
| P264               | Wash skin thoroughly after handling.   |
| P271               | Use only outdoors or in a well-ventilated area.  |
| P280               | Wear protective gloves/ protective clothing/ eye protection/ face protection.  |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.                     |
| P304 + P340        | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P312               | Call a POISON CENTER or doctor/ physician if you feel unwell.  |
| P337 + P313        | If eye irritation persists: Get medical advice/ attention.   |
| P370 + P378        | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.  |
| P403 + P233        | Store in a well-ventilated place. Keep container tightly closed.   |
| P403 + P235        | Store in a well-ventilated place. Keep cool.   |
| P405               | Store locked up.   |
| P501               | Dispose of contents/ container to an approved waste disposal plant.  |

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms : 2-Methyl-2-propanol  
Trimethyl carbinol  
tert-Butyl alcohol

Formula : C<sub>4</sub>H<sub>10</sub>O  
Molecular Weight : 74.12 g/mol  
CAS-No. : 75-65-0  
EC-No. : 200-889-7  
Index-No. : 603-005-00-1

#### Hazardous components

| Component                 | Classification   | Concentration |
|---------------------------|--|---------------|
| <b>tert-Butyl alcohol</b> |  |               |
|                           | Flam. Liq. 2; Eye Irrit. 2A;<br>STOT SE 3; H225, H319,<br>H335 | -             |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- 4.2 Most important symptoms and effects, both acute and delayed**  
The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- 4.3 Indication of any immediate medical attention and special treatment needed**  
no data available

## 5. FIREFIGHTING MEASURES

- 5.1 Extinguishing media**  
**Suitable extinguishing media**  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- 5.2 Special hazards arising from the substance or mixture**  
Carbon oxides  
Flash back possible over considerable distance.
- 5.3 Advice for firefighters**  
Wear self contained breathing apparatus for fire fighting if necessary.
- 5.4 Further information**  
In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures**  
Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
For personal protection see section 8.
- 6.2 Environmental precautions**  
Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up**  
Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).
- 6.4 Reference to other sections**  
For disposal see section 13.

## 7. HANDLING AND STORAGE

- 7.1 Precautions for safe handling**  
Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.  
Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.  
For precautions see section 2.2.
- 7.2 Conditions for safe storage, including any incompatibilities**  
Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- 7.3 Specific end use(s)**  
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Components with workplace control parameters

| Component          | CAS-No. | Value                             | Control parameters | Basis                                   |
|--------------------|---------|-----------------------------------|--------------------|---|
| tert-Butyl alcohol | 75-65-0 | TWA                               | 100 ppm            | USA. ACGIH Threshold Limit Values (TLV) |
|                    | Remarks | Central Nervous System impairment |                    |   |

|  |  |  |                      |  |
|--|--|--|----------------------|--|
|  |  | Not classifiable as a human carcinogen |                      |  |
|  |  | TWA                                    | 100 ppm<br>300 mg/m3 | USA. NIOSH Recommended Exposure Limits   |
|  |  | ST                                     | 150 ppm<br>450 mg/m3 | USA. NIOSH Recommended Exposure Limits   |
|  |  | TWA                                    | 100 ppm<br>300 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
|  |  | The value in mg/m3 is approximate.     |                      |  |
|  |  | TWA                                    | 100 ppm<br>300 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                    |
|  |  | STEL                                   | 150 ppm<br>450 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                    |

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 480 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

#### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm

Break through time: 30 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

|   |  |
|---|--|
| a) Appearance                                   | Form: liquid<br>Colour: colourless                                     |
| b) Odour  | no data available  |
| c) Odour Threshold                              | no data available  |
| d) pH   | no data available  |
| e) Melting point/freezing point                 | Melting point/range: 23 - 26 °C (73 - 79 °F)                           |
| f) Initial boiling point and boiling range      | 83 °C (181 °F)   |
| g) Flash point                                  | 11 °C (52 °F) - closed cup   |
| h) Evaporation rate                             | no data available  |
| i) Flammability (solid, gas)                    | no data available  |
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 8 %(V)<br>Lower explosion limit: 2.4 %(V)       |
| k) Vapour pressure                              | 41 hPa (31 mmHg) at 20 °C (68 °F)<br>59 hPa (44 mmHg) at 26 °C (79 °F) |
| l) Vapour density                               | 2.56 - (Air = 1.0)   |
| m) Relative density                             | 0.775 g/mL at 25 °C (77 °F)  |
| n) Water solubility                             | completely miscible  |
| o) Partition coefficient: n-octanol/water       | no data available  |
| p) Auto-ignition temperature                    | no data available  |
| q) Decomposition temperature                    | no data available  |
| r) Viscosity                                    | no data available  |
| s) Explosive properties                         | no data available  |
| t) Oxidizing properties                         | no data available  |

### 9.2 Other safety information

|                         |                    |
|-------------------------|--------------------|
| Relative vapour density | 2.56 - (Air = 1.0) |
|-------------------------|--------------------|

---

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Strong oxidizing agents, Copper, Alkali metals, Aluminum

## 10.6 Hazardous decomposition products

Other decomposition products - no data available  
In the event of fire: see section 5

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - rat - 2,743 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation. Respiratory disorder  
Gastrointestinal:Other changes.

Inhalation: no data available

LD50 Dermal - rabbit - > 2,000 mg/kg

Remarks: Prolonged skin contact may cause skin irritation and/or dermatitis.

no data available

#### Skin corrosion/irritation

Skin - rabbit

Result: Mild skin irritation - 24 h

#### Serious eye damage/eye irritation

Eyes - rabbit

Result: Irritating to eyes. - 24 h

#### Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

no data available

no data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

no data available

#### Aspiration hazard

no data available

#### Additional Information

RTECS: EO1925000

drying, cracking of the skin, Skin irritation

Liver - Irregularities - Based on Human Evidence

---

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 6,140 mg/l - 96 h  
Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 933 mg/l - 48 h

### 12.2 Persistence and degradability

Biodegradability Zahn-Wellens Test - Exposure time 19 d  
Result: > 99.9 % - Readily biodegradable.

### 12.3 Bioaccumulative potential

Does not bioaccumulate.

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

no data available

---

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### DOT (US)

UN number: 1120 Class: 3 Packing group: II  
Proper shipping name: Butanols  
Reportable Quantity (RQ):  
Marine pollutant: No  
Poison Inhalation Hazard: No

### IMDG

UN number: 1120 Class: 3 Packing group: II EMS-No: F-E, S-D  
Proper shipping name: BUTANOLS  
Marine pollutant: No

### IATA

UN number: 1120 Class: 3 Packing group: II  
Proper shipping name: Butanols

---

## 15. REGULATORY INFORMATION

REACH No. : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

|                    | CAS-No. | Revision Date |
|--------------------|---------|---------------|
| tert-Butyl alcohol | 75-65-0 | 2007-07-01    |

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

|                    | CAS-No. | Revision Date |
|--------------------|---------|---------------|
| tert-Butyl alcohol | 75-65-0 | 2007-07-01    |

### Pennsylvania Right To Know Components

|                    | CAS-No. | Revision Date |
|--------------------|---------|---------------|
| tert-Butyl alcohol | 75-65-0 | 2007-07-01    |

### New Jersey Right To Know Components

|                    | CAS-No. | Revision Date |
|--------------------|---------|---------------|
| tert-Butyl alcohol | 75-65-0 | 2007-07-01    |

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

|            |  |
|------------|--|
| Eye Irrit. | Eye irritation                                   |
| Flam. Liq. | Flammable liquids                                |
| H225       | Highly flammable liquid and vapour.              |
| H319       | Causes serious eye irritation.                   |
| H335       | May cause respiratory irritation.                |
| STOT SE    | Specific target organ toxicity - single exposure |

### HMIS Rating

|                        |   |
|------------------------|---|
| Health hazard:         | 2 |
| Chronic Health Hazard: | * |
| Flammability:          | 3 |
| Physical Hazard        | 0 |

### NFPA Rating

|                    |   |
|--------------------|---|
| Health hazard:     | 2 |
| Fire Hazard:       | 3 |
| Reactivity Hazard: | 0 |

### Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### Preparation Information

Sigma-Aldrich Corporation  
Product Safety – Americas Region  
1-800-521-8956

Version: 5.1

Revision Date: 02/26/2014

Print Date: 03/20/2014