

ARCHER UNI-FLUID XP (EXTRA PERFORMANCE) LUBRICANT



Archer Uni-Fluid XP is a universal tractor hydraulic fluid formulated specifically for tractors and other off-highway equipment using a centralized system to lubricate the transmission, differentials, wet brakes, power steering and hydraulic systems.

Archer Uni-Fluid XP is compatible with current formulations and provides improved piston pump wear performance, smoother long-term transmission control, a reduction in final drive component wear, and a dramatic improvement in deposit control. It also provides proper cooling and frictional properties for wet brakes and power take-off clutches.

Archer Uni-Fluid XP features high-viscosity-index base oil and protective additives to provide exceptional thermal stability and low temperature fluidity.

FEATURES & BENEFITS

- Controlled friction properties for smooth and efficient transmission of power across all normal temperature ranges
- Excellent lubricating characteristics for quiet operation, smooth shifting, and excellent wear protection
- Long fluid life and extended transmission life
- Exceptional oxidation stability and resistance to chemical deterioration
- Excellent viscosity stability (high viscosity index) to help assure adequate lubrication without excessive thinning in severe high-temperature service or thickening at low starting temperatures
- Superb protection against rust and corrosion, as well as enhanced protection for soldered fittings
- Excellent resistance to foaming
- Compatible with common transmission seal materials

TYPICAL SPECIFICATION DATA

ARCHER UNI-FLUID XP	
APPROXIMATE SAE GRADE	10W-20
Viscosity @ 100°C (cSt)	9.5
Viscosity @ 40°C (cSt)	60.2
Viscosity Index	140
Density (lb/gal)	7.24
CCS Viscosity (cP)	NA
Pour Point (°C)	-33
Pour Point (°F)	-27
Flash Point (°C)	229
Flash Point (°F)	444

Meets or Exceeds:

- API GL-4
- AGCO, DEUTZ-ALLIS POWER FLUID 821, 821XL, 272843
- AGCO/Massey Ferguson M-1129A, M-1127, M-1135, M-1110, M-1138, M-1141/Permatran III, M-1145
- AGCO/White-Oliver Q-1705, Q-1722, Q-1766, Q-1802, Q-1826, TYPE 55, Ag One Universal Fluid
- Allison C-4
- Case/IH B-6, MS-1206, MS-1207/Hy-Tran Plus, Hy-Tran Ultra, MS-1209, MAT 3505, Nexplor, MAT 3525, Hy-Tran Ultraction MAT 3540
- Case/New Holland MAT 3505, MAT 3525
- CAT TO-2 (Obsolete), MTO Fluid
- Cincinnati Milacron
- CNH, Ford-New Holland M2C41-B, M2C48-B, M2C53-A, M2C86-B/C, M2C134-C/D, Multi-G 134 Fluid, MAT 3525, NH-410B, MasterTran, MAT 3505, NH-410C
- Denison HF-0, HF-1, HF-2
- Hesston Fiat Oliofiat Tutela Multi F, AF-87
- International Harvester Hy-Tran/B-6
- J.I. Case TCH JIC-145/MS-1210, MAT 3506, TFD JIC-185/MS-1204, TFDII/MS-1205, Powerguard PTF/MS-1206
- John Deere J14B, J20A, HY-GARD, J21A, J20C, 303 Fluid (Obsolete)
- Komatsu Dresser B-06-002/1
- Kubota Universal Transdraulic Fluid, UDT Fluid
- Landini Tractor II Hydraulic Fluid
- Sauer/Danfoss (Sundstrand)
- Sperry Vickers I-286-S, M-2950-S, 35VQ25
- Steiger Hydraulic/Trans Fluid, SEMS 17001
- Versatile Hygear Fluid, 23M, 24M, ESN-M2C134-D
- Volvo (VCE) VME WB-101 Approved
- ZF TE-ML-03E, 05F Approved



ARCHER UNI-FLUID XP			
Package Size	Item Number	Package Size	Item Number
2 x 2.5 Gal.	191173	265 Gal.	193315
5 Gal.	191175	330 Gal.	193113
30 Gal.	191174	Bulk	192381
55 Gal.	191176		